AMENDMENTS TO THE CLAIMS

Please amend the claims as folk ws:

Claim 1.(currently amende l)

A compound having the Formula I

O || |}\ightau3-(CH₂)_n-N-C-R² |

I

wherein


R1 is pyridyl, CH2 pyridyl or substituted pyridyl substituted by OC1-C6alkyl;

 R^{1}


n is I or 2;

R² is substituted p very or phenyl substituted by OC₁-C₆alkyl, Obenzyl-, halogen or NO₂.

; and



phenyl or substitu ed-p ienyl substituted by C₁-C₆alkyl, provided that when R² is phenyl and n is-1, R³ is n it ph myl substituted by halogen; or a pharmaceutically acceptable salt thereof.



Claim 2 (Currently Amended) A compound in accordance with claim 1 wherein \mathbb{R}^3 is \mathbb{R}^2 is ethoxy-pheny; and \mathbb{R}^1 is pyridyl.

Claim 3.(withdrawn) A compound in accordance with Claim 1 wherein

$$\mathbb{R}^3$$
 is

Claim 4.(currently amend d) A compound in accordance with Claim1 wherein

 \mathbb{R}^1 is pyridyl[[,]] $\leftarrow \mathbb{C} I_2$ pyridyl.

Claim 5.(canceled)

Claim 6.(canceled)

Claim 7.(previously canciled)

Claim 8.(withdrawn) Th: compounds:

2-Benzyls ilfan /l-N-(4-methoxy-benzyl)-N-(4-methoxy-phenyl)-benzamide;

N-(3,5-Di-tert-hutyl-benzyl)-3,4-dimethoxy-N-phenyl-benzamide;

N-(3,5-Bi: -trifl 10romethyl-benzyl)-3,4-dimethoxy-N-phenyl-benzamide;

N-(3,5-Dil rom >-benzyl)-3,4-dimethoxy-N-phenyl-benzamide;

3,4-Dimet 10xy-N-(4-methoxy-benzyl)-N-phenyl-benzamide;

3,4-Dimet 10xy-N-(3-methoxy-benzyl)-N-phenyl-benzamide;

N-(3,4-Di :hlor >-benzyl)-3,4-dimethoxy-N-phenyl-benzamide;

3,4-Dime noxy-N-naphthalen-2-ylmethyl-N-phenyl-benzamide;

N-(4-tert-Bi tyl-lenzyl)-3,4-dimethoxy-N-phenyl-benzamide; and N-Biphenyl 2-ylinethyl-3,4-dimethoxy-N-phenyl-benzamide.

Claim 9. (withdrawn) Th: compounds:

N-(3,4-Dich' pro-lienzyl)-N-(2-methoxy-phenyl)-benzamide;

N-(3,5-Di-te t-bu yl-benzyl)-N-[4-(3-diethylamino-propyl)-phenyl]-benzamide;

N-(3,5-Bis-t iflux romethyl-benzyl)-N-[4-(3-diethylamino-propyl)-phenyl]-

benzamide;

N-(3,5-Dibromo-penzyl)-N-[4-(3-diethylamino-propyl)-phenyl]-benzamide;

N-[4-(3-Die hyla nino-propyl)-phenyl]-N-(4-methoxy-benzyl)-benzamide;

N-[4-(3-Die hyla nino-propyl)-phenyl]-N-(3-methoxy-benzyl)-benzamide;

N-(3,4-Dicl: loro-penzyl)-N-[4-(3-diethylamino-propyl)-phenyl]-benzamide; N-[4-(3-Die hylamino-propyl)-phenyl]-N-naphthalen-2-ylmethyl-benzamide; N-Biphenyl 2-yl nethyl-N-[4-(3-diethylamino-propyl)-phenyl]-benzamide; and 3-Methyl-th ioph:ne-2-carboxylic acid (4-iodo-phenyl)-(5,5,8,8-tetramethyl-5,6,7,8-tetra hydro-naphthalen-2-ylmethyl)-amide.

Claim 10.(withdrawn) T ie compounds:

N-(4-Meth xy-zenzyl)-N-phenyl-benzamide;

N-(3-Meth oxy-penzyl)-N-phenyl-benzamide;

3,4,5-Trin etho ty-N-naphthalen-2-ylmethyl-N-quinolin-3-yl-benzamide;

N-(4-tert-I atyl benzyl)-3,4,5-trimethoxy-N-quinolin-3-yl-benzamide;

N-Biphen; 1-2-; Imethyl-3,4,5-trimethoxy-N-quinolin-3-yl-benzamide;

3,4,5-Trin etho cy-N-(6-methoxy-pyridin-3-yl)-N-(5,5,8,8-tetramethyl-5,6,7,8-

tetrahydro naplithalen-2-ylmethyl)-benzamide;

N-(3,5-Di tert- autyl-benzyl)-3,4,5-trimethoxy-N-(6-methoxy-pyridin-3-yl)-benzamid;

N-(3,4-Di :hlor >-benzyl)-3,4,5-trimethoxy-N-(6-methoxy-pyridin-3-yl)-benzamid ;

4-Isopropyl N-p; ridin-3-yl-N-(5,5,8,8-tetramethyl-5,6,7,8-tetrahydro-naphthalen-2-ylmethyl) ben; amide; and

4-Isopropyl N-(3-methoxy-benzyl)-N-pyridin-3-yl-benzamide.

Claim 11.(withdrawn) T ie compounds:

4-Isopropyl -N-n iphthalen-2-ylmethyl-N-pyridin-3-yl-benzamide;

'N-(4-tert-E utyl-benzyl)-4-isopropyl-N-pyridin-3-yl-benzamide;

N-Bipheny ·2-ylmethyl-4-isopropyl-N-pyridin-3-yl-benzamide;

2-Ethoxy-N-pyr din-3-yl-N-(5,5,8,8-tetramethyl-5,6,7,8-tetrahydro-naphthalen-2-

ylmethyl)-l enzamide;

N-(3,5-Di-1 :rt-b 1tyl-benzyl)-2-ethoxy-N-pyridin-3-yl-benzamide;

N-(3,5-Dib omc-benzyl)-2-ethoxy-N-pyridin-3-yl-benzamide;

2-Ethoxy-1'-(4-inethoxy-benzyl)-N-pyridin-3-yl-benzamide;

2-Ethoxy-11-(3-nethoxy-benzyl)-N-pyridin-3-yl-benzamide;

N-(3,4-Dic 1lore -benzyl)-2-ethoxy-N-pyridin-3-yl-benzamide; and

2-Ethoxy-1/-naj hthalen-2-ylmethyl-N-pyridin-3-yl-benzamide.

Claim 12.(currently amen led) The compounds:

N-(4-tert-I utyl benzyl)-2-ethoxy-N-pyridin-3-yl-benzamide; and

N-Bipheny 1-2-3 lmethyl-2-ethoxy-N-pyridin-3-yl-benzamide[[;]].

N (6 Buto ty p) ridin-3-yl) 2 diethylamino N (5,5,8,8 tetramethyl-5,6,7,8-tetramethyl-5,6,7,8-tetramethyl) acetamide;

N-(6-Bute ty-p ridin 3-yl)-N-(4 tert butyl benzyl) 2 diethylamine-acetamide;

'N-Biphen /1-2- /lmethyl-N-(6 butoxy-pyridin 3-yl) 2 diethylamino-acetamide;

N-(2-Metl exy phenyl) N-naphthalen-2-ylmethyl-benzamide;

N (4 Metl oxy benzyl) N-(2 methoxy phenyl) benzamide;

N (3 Metl oxy benzyl) N (2 methoxy phenyl) benzamide;

N Biphen 12 | Imethyl N (2 methoxy phenyl) benzamide; and

N [4 (3-D ethy lamino-propyl) phenyl] N (5,5,8,8 tetramethyl 5,6,7,8 tetrahydro-naphthale | 2-) lmethyl) benzamide.

Claim 13.(withdrawn) Tl e co npounds:

N-Biphenyl 2-yl nethyl-2-ethoxy-N-(6-methoxy-pyridin-3-yl)-benzamide;

N-Biphenyl 2-yl nethyl-2-methoxy-N-(6-methoxy-pyridin-3-yl)-benzamide;
N-Biphenyl 2-yl nethyl-2-methoxy-N-pyridin-3-ylmethyl-benzamide;
Benzo[b]th oph: ne-2-carboxylic acid biphenyl-2-ylmethyl-pyridin-4-yl-amide;
N-Bipheny -2-ylmethyl-N-(6-methoxy-pyridin-3-yl)-2-nitro-benzamide;
N-Bipheny -2-ylmethyl-4-ethoxy-N-(6-methoxy-pyridin-3-yl)-benzamide;
N-Bipheny -2-ylmethyl-2-ethoxy-N-pyridin-3-ylmethyl-benzamide;
Benzo[1,3] tioxole-4-carboxylic acid biphenyl-2-ylmethyl-pyridin-3-ylmethyl-amide;
N-Bipheny -2-ylmethyl-2-bromo-N-pyridin-3-ylmethyl-benzamide; and
3-Chloro-benzolb]thiophene-2-carboxylic acid biphenyl-2-ylmethyl-pyridin-3-ylm

Claim 14.(currently amen led) The compounds:

-3-v1)-am; de.

ylmethyl-a nide

N-Biphen; I-2-y lmethyl-2-nitro-N-pyridin-3-ylmethyl-benzamide;
2-Benzylo:y-N biphenyl-2-ylmethyl-N-pyridin-3-ylmethyl-benzamide;
N-Biphen; I-2-y lmethyl-4-ethoxy-N-pyridin-3-ylmethyl-benzamide;
N-Biphen; I-2-y lmethyl-4-methoxy-N-(4-methoxy-phenyl) benzamide;
N-Biphen; I-2-y lmethyl-2 ethoxy-N (4-methoxy-phenyl) benzamide;
Benzo[1,3 diox ele-5-earboxylie-aeid biphenyl-2-ylmethyl-(4-methoxy-phenyl) amide;
N-Biphen; I-2-ylmethyl-2,4-dimethoxy-N-(4-methoxy-phenyl) benzamide;
N-Biphen; I-2-ylmethyl-2-ylmethyl-N-(4-methoxy-phenyl) benzamide;
N-Biphen; I-2-ylmethyl-2-brome-N-(4-methoxy-phenyl) benzamide;

Benzo[1,3]dio: ole-4-carboxylic acid biphenyl-2-ylmethyl-(6-methoxy-pyridin

Claim 15 (currently amended) The compounds:

N-Biphenyl 2-yl nethyl-2-ethoxy-N-pyridin-2-yl-benzamide;

N-Biphenyl 2-yl nethyl-2-bromo-N-pyridin-2-yl-benzamide;

N-Biphenyl 2-yl methyl-2-nitro-N-pyridin-2-yl-benzamide;

2-Benzylox y-N- siphenyl-2-ylmethyl-N-pyridin-2-yl-benzamide;

N-Bipheny 2-ylmethyl-2-bromo-N-pyridin-3-yl-benzamide;

3 Chloro-b mzo b]thiophene 2 carboxylie acid biphenyl 2-ylmethyl-pyridin-3-yl-amide;

Benzo[b]th oph ne 2-earboxylic acid biphonyl 2 ylmethyl-pyridin 3-yl amide;

N-Bipheny -2-y methyl-2-nitro-N-pyridin-3-yl-benzamide;

N-Bipheny -2-y methyl-2-ethoxy-N-pyridin-4-yl-benzamide; and

N-Bipheny -2-y methyl-2-methoxy-N-pyridin-4-yl-benzamide.

Claim 16.(currently amen led) The compounds:

Benzo[1,3 diox >le-4-carboxylic acid biphenyl-2-ylmethyl-pyridin-4-yl-amide;

N-Bipheny l-2-y lmethyl-2-bromo-N-pyridin-4-yl-benzamide;

N-Bipheny l-2-y lmethyl-2-nitro-N-pyridin-4-yl-benzamide;

2-Benzylo :y-N biphenyl-2-ylmethyl-N-pyridin-4-yl-benzamide; and

N-Biphen 1-2-y lmethyl-4-ethoxy-N-pyridin-4-yl-benzamide[[;]].

Benzo[b]t iopl ene 2 carboxylio acid biphenyl-2-ylmethyl-pyridin-3-ylmethyl-amide;

N Biphen: 12: Imethyl N (4-methoxy phenyl) 2-methylsulfanyl benzamide;

N Biphen; 1-2: Imothyl 2-isopropylsulfanyl N (4 methoxy phenyl) benzamide;

N-Biphen 12 Imethyl N (3-methoxy-phenyl) 2 propylsulfanyl benzamide; and

N Biphen 4-2 4methyl-N (3 methoxy phenyl)-2 methylsulfanyl-benzamide.

Claim 17.(withdrawn) The compounds:

N-Biphen /1-2-/lmethyl-2-isopropylsulfanyl-N-(3-methoxy-phenyl)-benzamide;

2-Benzyls alfar yl-N-biphenyl-2-ylmethyl-N-(3-methoxy-phenyl)-benzamide;

2-Benzyls ulfar yl-N-biphenyl-2-ylmethyl-N-(4-chloro-phenyl)-benzamide;

N-Biphenyl 2-yl nethyl-N-(3,4-dimethoxy-phenyl)-2-propylsulfanyl-benzamide;
N-Biphenyl 2-yl nethyl-N-(3,4-dimethoxy-phenyl)-2-methylsulfanyl-benzamide;
N-Biphenyl 2-yl nethyl-N-(3,4-dimethoxy-phenyl)-2-isopropylsulfanyl-benzamide;
N-Biphenyl 2-yl nethyl-N-(3,4-dimethoxy-phenyl)-3-phenylsulfanyl-benzamide;
2-Benzylsu fanyl-N-biphenyl-2-ylmethyl-N-(3,4-dimethoxy-phenyl)-benzamide;
'N-Bipheny -2-ylmethyl-N-(4-methoxy-phenyl)-2-(propane-1-sulfinyl)-benzamide; and
'N-Biphenyl-2-ylmethyl-N-(4-methoxy-phenyl)-2-(propane-2-sulfinyl)-benzamide.

Claim 18.(withdrawn) The compounds:

'2-Benzene sulfi syl-N-biphenyl-2-ylmethyl-N-(4-chloro-phenyl)-benzamide;
'N-Bipheny l-2-y lmethyl-N-(3,4-dimethoxy-phenyl)-2-(propane-1-sulfinyl)-benzamide
N-Bipheny -2-y methyl-N-(3,4-dimethoxy-phenyl)-2-(propane-2-sulfinyl)-benzamide and
N-Bipheny l-2-ylmethyl-N-(3,4-dimethoxy-phenyl)-2-phenylmethanesulfinyl-.

Claim 19. (previously presented) A pharmaceutical composition comprising a compound of Claim 1 in ad-mixture with a pharmaceutically acceptable carrier.

Claim 20.(canceled)

- Claim 21.(withdrawn) A method of treating atherosclerosis, the method comprising administering to a patient having or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 1.
- Claim 22. (withdrawn) A method of treating atherosclerosis, the method comprising administering to a patient having or at risk of having atherosclerosis a therapeutically effective amount of a compound of Claim 7.

- Claim 23.(withdrawn) A method of treating restenosis, the method comprising administering to a patient having or at risk of having restenosis a therapeutically effective amount of a compound of Claim 1.
- Claim 24.(withdrawn) A method of treating restenosis, the method comprising administering to a patient having or at risk of having restenosis a therapeutically effective amount of a compound of Claim 7.
- Claim 25. (withdrawn)

 7. method of treating coronary heart disease, the method comprising admin stering to a patient having or at risk of having coronary heart disease a therapeutically effective amount of a compound of Claim 1.
- Claim 26. (withdrawn) ... method of treating coronary heart disease, the method comprising admin stering to a patient having or at risk of having coronary heart disease a therapeutically effective amount of a compound of Claim 7.
- Claim 27.(withdrawn) A method of treating hyperlipidemia, the method comprising administering to a patient having hyperlipidemia a therapeutically effective amount of a compound of Claim 1.
- Claim 28.(withdrawn) A method of treating hyperlipidemia, the method comprising administering to a patient having hyperlipidemia a therapeutically effective amount of a compound of Claim 7.
- Claim 29.(withdrawn). A method of treating hyperlipoproteinemia, the method comprising administering to a patient having hyperlipoproteinemia a therapeutically effective amount of a compound of Claim 1.

- Claim 30.(withdrawn). A method of treating hyperlipoproteinemia, the method comprising administering to a ratior t having hyperlipoproteinemia a therapeutically effective amount of a compound of Claim 7.
- Claim 31.(withdrawn). A method of treating hypercholesterolemia, the method comprising administering to a 1 aties t having hypercholesterolemia a therapeutically effective amount of a compound of (laim 1.
- Claim 32. (withdrawn) A method of treating hypercholesterolemia, the method comprising administering to a patient having hypercholesterolemia a therapeutically effective amount of a compound of Claim 7.
- Claim 33. (withdrawn) A method of treating hypertriglyceridemia, the method comprising administering to a patient having hypertriglyceridemia a therapeutically effective amount of a compound of Claim 1.
- Claim 34.(withdrawn) A method of treating hypertriglyceridemia, the method comprising administering to a patient having hypertriglyceridemia a therapeutically effective amount of a compound of Claim 7.
- Claim 35. (withdrawn)

 A method of treating obesity, the method comprising administering to an obese patient a the rapeutically effective amount of a compound of Claim 1.
- Claim 36.(withdrawn)

 **P. method of treating obesity, the method comprising administering to an obese patient a the rapeutically effective amount of a compound of Claim 7.
- Claim 37. (withdrawn)

 I method of lowering plasma concentrations of apoB containing lipoproteins, the rr ethod comprising administering to a patient in need of lowering of apoB containing lipoproteins in plasma a therapeutically effective amount of a compound of Claim 1.

- Claim 38.(withdrawn) A method of lowering plasma concentrations of apoB containing in lipoproteins, the muthod comprising administering to a patient in need of lowering of apoB containing lipoproteins in plasma a therapeutically effective amount of a compound of Claim 7.
- Claim 39. (withdrawn) A method of lowering the plasma concentration of Lp(a), the method comprising administering to a patient in need of Lp(a) lowering a therapeutically effective amount of a compound of Claim 1.
- Claim 40. (withdrawn)

 1. method of lowering the plasma concentration of Lp(a), the method comprisin; administering to a patient in need of Lp(a) lowering a therapeutically effective amount of a compound of Claim 7.
- Claim 41.(withdrawn) A method of lowering the plasma concentration of LDL, the method comprising administering to a patient in need of LDL lowering a therapeutically effective amount of a compound of Claim 1.
- Claim 42. (withdrawn) A method of lowering the plasma concentration of LDL, the method comprising administering to a patient in need of LDL lowering a therapeutically effective amount of a compound of Claim 7.
- Claim 43.(withdrawn) A method of lowering the plasma concentration of triglycerides, the method comprising administering to a patient in need of triglyceride lowering a therapeutically effective amount of a compound of Claim 1.
- Claim 44. (withdrawn) A method of lowering the plasma concentration of triglycerides, the method comp ising administering to a patient in need of triglyceride lowering a therapeutically effective amount of a compound of Claim 7.